Index-Bulgaria Ltd.

inspiron™ vostro™

Studio XPS

Latitude Precision

OptiPlex

1784 Sofia, Mladost 1, bl.54
Phone +3592 975 3331; +3592 974 3898
+3592 975 3465; fax +3592 975 3681
e-mail:ib@indexbg.bg; www.indexbg.bg
Bank: Raiffeisenbank (Bulgaria) EAD
IBAN: BG33RZBB91551060279415
Registration: Court 7455/1997 SGS
BULSTAT: 121415869

Index-Bulgaria Ltd.

Stock info		Model	Description	End Price with VAT USD
			Преносим Компютър DELL Inspiron Mini 9	
			ALL YOU NEED TO STAY IN TOUCH	
на склад		**Inspiron Mini 9**	Processor Intel® Atom N270 (1.6GHz, 512KB Cache, 533MHz) *Chipset: Intel® 945PM / GS Express Chipset* Display : 8.9 in Widescreen WSVGA with TrueLife Camera : Integrated 1.3 Mega Pixel LCD Back Cover : Black with WLAN Memory : 1024MB (1*1024) 533MHz DDR2 Dual Channel Hard Drive : 8GB Solid State Graphics : Integrated Intel Graphic Media Accelerator 950 Dell Bluetooth Card & Dell 802.11b/g Wireless LAN Mini-Card Operating System : Ubuntu Edition Version 8.04 *Ports: USB 2.0 (3), Integrated 10/100 LAN (RJ45), 15-pin VGA video connector, Audio jacks (1-line out, 1 mic-in), 3-in-1 Media Card Reader, AC adapter connector* *Dimensions: Width: 232mm, Height: 27.2mm front / 31.7mm back, Depth: 172mm* *Weight: Starting weight of 1.035 kg* Power Supply : European 30W AC Adapter Battery: 4-cell 32WHr Li-Ion Battery Base Warranty 24M Warranty	**CALL**
			Black	
			White	
			Pink	

Предложените модели и опциите към тях са валидни до изчерпване на наличностите
Индекс-България ООД си запазва правото да променя цените на предлаганите продукти по всяко време и без предизвестие!
Плащанията към Индекс България ООД се извършват в лева по централния курс на БНБ, за деня на извършване на плащането.
Параметрите на моделите със срок на доставка до 20 работни дни, могат да бъдат променяни по желание на клиента.
При желание за друг модел или друга конфигурация от описаните тук модели, очакваме вашите запитвания на sales@indexbg.bg
Гаранционния срок за компютрите и сървърите е 3 години (1 година на батерията при преносимите компютри) освен ако не е указано друго.

Stock info		Model	Description	End Price with VAT USD
			Преносим Компютър DELL Studio XPS 13	
*** Premium design with genuine leather accents, anodized aluminum, edge-to-edge display and backlit keyboard * The latest Intel® CoreTM 2 Duo processors for blazing fast performance * Optional NVIDIA® Hybrid SLI graphics deliver incredibly lifelike videos, movies and gaming * Automated hi-def up-conversion allows you to watch all your DVD movies in brilliant HD**				
на склад		**Studio XPS 13** *SXPS13 C2D 2.26*	Intel Core 2 Duo Processor P8400 (2.26GHz,1066MHz,3MB) *Chipset: NVIDIA® GeForce® MCP79MX* Display: Edge-to-edge Glossy 13.3in WXGA (1280x800) CCFL Display with TrueLife Integrated 2.0 Mega Pixel Camera with Face Recognition Software Dual Digital Array Microphones, 4 Watt Integrated Stereo Speakers Memory : 2048MB (2x1024) 1067MHz DDR3 Dual Channel Hard Drive: 250GB Serial ATA (7200RPM) Internal DVD+/-RW (DVD & CD read and write) Slot Load Drive including Software Battery : Primary 6-cell 56W/HR LI-ION Graphics : 256MB nVidia 9500m graphics card Dell Wireless 1515 (802.11n) Half Mini Card & Bluetooth Card Keyboard : Internal US/International Qwerty Keyboard Windows Vista SP1 Home Premium including Media Weight: 2.2 kg Warranty - NBD On-site 3Y	**$1,784**
			Преносим Компютър DELL Studio XPS 16	
		Studio XPS 16 *DL SXPS16 C2D 2.0*	Intel Core 2 Duo Processor T6400 (2.00GHz,800MHz,2MB) Display : 16in Truelife 720p HD WLED Edge to Edge Display Camera : Integrated 2.0 Mega Pixel Camera with Facial Recognition Software Memory : 2048MB (2x1024) 1067MHz DDR3 Dual Channel Hard Drive: 320GB Free Fall Sensor (7200RPM) Optical Drive : Internal DVD+/-RW Slot Load Drive Graphics : 512MB ATI Radeon HD 3670 graphics card Dell Wireless 1397 (802.11 b/g) Mini Card Dell Bluetooth 370 Card Operating System : English Genuine Windows Vista SP1 Home Premium including Media Battery : Primary 6-cell 56W/HR LI-ION Warranty - NBD On-site 3Y	**$1,781**
			Преносим Компютър DELL Vostro	
на склад		**Dell Studio 1555**	Intel Pentium Dual Core T4300 (2.1GHz,800MHz,1MB) 15.6in Widescreen WXGA LED (1280X800) Camera : Integrated Camera 4096MB (2x2048) DDR2 320 GB SATA (5400RPM) Optical Drive : 8X DVD+/-RW Power Cord : 3 Wire 90W AC Adapter Power Cord : European 1 meter (3 wire) Battery : Primary 6-cell 48W/HR LI-ION 512 ATI Mobility RADEON HD 4570 Bluetooth 2.0 +EDR; Dell Wireless (802.11 b/g) Keyboard : Internal Bulgarian Qwerty Keyboard Windows Vista Home Premium; 3Yr NBD	**$1,086**
			Преносим Компютър DELL Latitude	
на склад		**Latitude E5500**	Intel Core 2 Duo T7250 (2.0GHz,800MHz,2MB) 15.4in Widescreen WXGA (1280X800) LCD 3072MB (1x1024 + 1x2048) 800MHz DDR2 Dual Channel 250GB Serial ATA (5400RPM) Windows Live 8X DVD+/-RW Drive Primary 4-cell Battery 37W/HR LI-ION Internal 56.6K V.92 Data, Fax & Voice Modem Dell WLAN 1510 (802.11a/b/g/n 2X3) 1 Dell Wireless 370 Bluetooth Windows Vista Business SP1 (1GB RAM or Higher) (32Bit OS) Windows Vista Business SP1 Os media 1Yr Warranty - Next Business Day On-Site	**$1208**

Предложените модели и опциите към тях са валидни до изчерпване на наличностите
Индекс-България ООД си запазва правото да променя цените на предлаганите продукти по всяко време и без предизвестие!
Посочените цени са в щатски долари и включват 20% ДДС.
Плащанията към Индекс България ООД се извършват в лева по централния курс на БНБ, за деня на извършване на плащането.
Параметрите на моделите със срок на доставка до 20 работни дни, могат да бъдат променяни по желание на клиента.
При желание за друг модел или друга конфигурация от описаните тук модели, очакваме вашите запитвания на sales@indexbg.bg

Гаранционния срок за компютрите и сървърите е 3 години (1 година на батерията при преносимите компютри) освен ако не е указано друг

поръчка	**С поръчка и доставка до 20 работни дни**
на склад	**Поддържа се в наличност на склад**

Stock info		Model	Description	End Price with VAT USD
Accessories for Notebooks				
		Optical & Floppy Device		
DL Y6933		3.5" 1.44MB Floppy drive	for use in external D/Bay	$34.02
DL 6P679		Устройство CD-ROM за	Dell Inspiron 510M/8500/8600c and Latitude D-Seria	$51.08
		8x DVD+/- RW Drive for	Dell Latitude D-Series	$81.35
		Carry Case		
с поръчка		Dell Nylon BackPack		$51.64
DL NCC Small		Чанта Dell Slim Nylon Case	- up to 14.1in	$29.22
DL NSLWC Case		Dell Nylon Small Light Weight	Carry Case	$37.42
DL RF076		Dell Leather Carry Case		$52.32
DL DP458		Dell Cary Case Nylon (for	notebooks up to 15.4")	$41.43
с поръчка		Dell Extra Large Nylon	Carry Case (17")	$44.50
на склад		Targus City Gear 17in Nylon	Messenger Carry case	$50.23
		Dock Station for Latitude		
DL GN645	Latitude D Series	D/Port Station- Ethernet	and Moden Pass Through, DVI	$163.96
с поръчка	Latitude D Series	Модул D/View Notebook	Stand for use with D/Port only	$108.53
DL J577C	Latitude E Series	Simple E-Port with 130W	AC Adaptor without stand	$188.70
с поръчка	Latitude E Series	Advanced E-Port Replicator	with 210W AC Adaptor	$272.73
с поръчка	Latitude E Series	E-View Laptop Stand Supports	up to 17" (*Must Order an E-Port Replicator*)	$138.95
		Mouse & Keyboard		
DL JX072		Комплект Targus Travel	Essentials Kit	$37.15
DL PU216		Комплект Bluetooth Keyboard	& Mouse	$79.95
с поръчка		Комплект Dell Wireless	Keyboard & Mouse	$87.84
DL DJ352		Клавиатура Dell Quietkey	USB Black Bulgarian	$17.12
DL CY503		Logitech® V220 Wireless	USB Cordless Optical Mouse	$26.95
с поръчка		Мишка Dell Optical USB	(2 buttons scroll) Black Mouse	$8.51
DL MY897		Мишка Dell Black Optical	5 button USB	$15.31
с поръчка		Мишка Dell Bluetooth	(5 buttons scroll) Black Travel Mouse	$28.92
с поръчка		Подложка за мишка DELL		$1.11
		Speakers		
с поръчка		Dell - A525 - Speakers - Black - Subwoofer & 2 satellites - 30W * Connectivity Technology : Cable * Controls : Power On/Off, Volume control, Subwoofer Level * Max (RMS) Output Power (Total) : 30 Watts * Product Type : Speakers		$47.63
DL TX131		Bluetooth Stereo Headset * Connectivity Technology : Bluetooth * Type : Stereo Headset		$54.43
		Adapters		
DL DK138		DELL Slim Auto-Air AC Adapter Input AC: 100-240V, 1,5A(1.5A) 50-60 Hz. DC: 11-16V, 8A. Output: 19.5V(19,5V) 3.34A(3,34A) Size: 2.38" x 5.44" x 1.14" Power Provided: 65 Watts Cable: Standard AC power cable, 4-pin DC power cable.		$108.87
с поръчка		Power Supply + Power Cord :	European 2 Wire 65W AC Adapter 1M (Kit)	$61.55
DL MM545		Power Supply + Power Cord :	European 2 Wire 90W AC Adapter 1M (Kit)	$79.67
DL JU012		Power Supply + Power Cord :	European 2 Wire 130W AC Adapter 1M (Kit)	$83.19

Предложените модели и опциите към тях са валидни до изчерпване на наличностите

Индекс-България ООД си запазва правото да променя цените на предлаганите продукти по всяко време и без предизвестие!

Посочените цени са в щатски долари и включват 20% ДДС.

Плащанията към Индекс България ООД се извършват в лева по централния курс на БНБ, за деня на извършване на плащането.

Параметрите на моделите със срок на доставка до 20 работни дни, могат да бъдат променяни по желание на клиента.

При желание за друг модел или друга конфигурация от описаните тук модели, очакваме вашите запитвания на sales@indexbg.bg

Гаранционния срок за компютрите и сървърите е 3 години (1 година на батерията при преносимите компютри) освен ако не е указано друго.

Stock info		Model	Description	End Price with VAT USD
			Dell OptiPlex™	
на склад		**OptiPlex 360 MT** *DL 360MTN PDC 2.5*	Intel Pentium Dual Core E5200 (2.50GHz,800MHz,2MB) Memory 2.0GB 800MHz Non-ECC DDR2 Memory (2*1GB) Hard Drive 250GB (7,200 rpm) Serial ATA2 Hard Drive Floppy Disk Drive : Not Included Optical Drive : 16X DVD +/-RW Drive With Software Intel® Graphics Media Accelerator 3100 Mice : Dell Optical USB (2 buttons scroll) Black Mouse USB Spacesaver Black keyboard - Bulgarian (QWERTY) Free DOS 3Yr Basic Warranty - Next Business Day	**$681**
поръчка		**OptiPlex 760 DT**	Intel Core 2 Duo E8400 (3GHz, 1333MHz, 6MB) iAMT Advanced Management 2.0GB 800MHz NON-ECC DDRII Memory (1*2GB) 250GB 3.5inch Serial ATA (7,200 rpm) Single Hard Drive No Floppy Drive 16X DVD +/-RW Drive With Software Internal Dell Business Audio Speaker Windows Vista ® Business SP1 to XP Pro SP3 (Downgrade) Enhanced Quietkey USB Spacesaver Black keyboard (QWERTY) & Dell Laser, USB (6 buttons) Black Mouse 3Yr Basic Warranty - Next Business Day	**$1,168**
поръчка		**OptiPlex 960 MT**	OptiPlex 960 MT : up to 88% efficient Power Supply Mini Tower Chassis Intel Core 2 Duo E8500 (3.16GHz, 1333MHz, 6MB) vPro Advanced Management Memory 4.0GB 800Mhz NON-ECC DDRII Memory (2*2GB) Hard Drive 320GB 3.5inch Serial ATA (7200RPM) Video Card: ATI Radeon HD 3450 256MB DDR2 full height DVI/VGA Output 3.5in Floppy Disk Drive 1.44MB Internal Drive with Floppy Drive Cable Optical Device 16X DVD +/-RW Drive With Software Internal Dell Business Audio Speaker Windows Vista ® Business SP1 to XP Pro SP3 Downgrade Enhanced USB Multimedia Black Keyboard Dell Laser, USB (6 buttons) Black Mouse 3Yr Basic Warranty - Next Business Day	**$1,468**
			Dell Power Edge	
поръчка		**PowerEdge R300** *DL PER300 QCX 2.5G*	Processor Single Quad Core Xeon X3323 (2.5GHz, 2x3MB, 1333MHz FSB) 2x PCI-E Riser Cards (2x PCI-E Slots) Front Bezel 4GB for 1CPU (2x2GB Dual Rank DIMMs) 667MHz HDD: 2 x 300GB SAS 15k 3.5" HD Hot Plug RAID Controller SAS 6i/R Internal Controller RAID PCIe Rack Chassis, Hot-Plug HD Cage, Redundant PSU CD-RW/DVD-ROM Drive SATA No Operating System Sliding Rapid/Versa Rack Rails ASSR1, Add-in SAS/SATA RAID card, RAID1, 2 HOT PLUG HDDs Communication 2X embedded Gigabit NICs Ports Rear: 2 x Gigabit NIC ports, 2 x USB 2.0 ports, 1 x video connector, 1 x serial connector Front: 2 x USB 2.0 ports, 1 x video connector Internal: 1x USB 2.0 ports 3Yr Basic Warranty - Next Business Day	**$2,863**
		UPS 3000i	APC Smart 3000i Uninterruptible Power Supply 2700W Rack Mount (2U)	**$883**

Предложените модели и опциите към тях са валидни до изчерпване на наличностите
Индекс-България ООД си запазва правото да променя цените на предлаганите продукти по всяко време и без предизвестие!
Посочените цени са в щатски долари и включват 20% ДДС.
Плащанията към Индекс България ООД се извършват в лева по централния курс на БНБ, за деня на извършване на плащането.
Параметрите на моделите със срок на доставка до 20 работни дни, могат да бъдат променяни по желание на клиента.
При желание за друг модел или друга конфигурация от описаните тук модели, очакваме вашите запитвания на sales@indexbg.bg

Гаранционния срок за компютрите и сървърите е 3 години (1 година на батерията при преносимите компютри) освен ако не е у

поръчка	**С поръчка и доставка до 20 работни дни**
на склад	**Поддържа се в наличност на склад**

Index-Bulgaria Ltd.

Stock info		Model	Description	End Price with VAT USD
			Монитор 19" Dell	
на склад		**1909W**	Display : 19in 1909W Black Widescreen UltraSharp TCO03 DVI-D Height Adjustable Panel Type : TN - Twisted Nematic Maximum Resolution : 1440 x 900 at 60 Hz Contrast Ratio : 1000:1 (typical) Brightness : 300 cd/m2 (typical) Response Time : 5 ms (typical) Viewing Angle : 160° / 160° (typical) Colour Support : 16.7 million colours Pixel Pitch : 0.2835mm Interface: Analog, DVI-D (Digital) with HDCP, AC power cord connector Warranty : 3 Year Monitor Replacement Service	**$242**
			Монитор 20" Dell	
поръчка		**2007FP**	Dell UltraSharp 2007FP 20.1-inch Black Flat Panel Diagonal Size (Viewable Size) : 20.1" (20.1") Panel Type : VA - Vertical Alignment & IPS - In Panel Switching Maximum Resolution : 1600 x 1200 Pixels at 60 Hz Response time / Brightness / Contrast Ratio: 16ms / 300cd/m2 / 800:1 Features : VESA® 100mm Mounting, Anti-glare with hard-coating 3H, Slim Black or Silver Bezel, Includes Height Adjustable Stand Connectors / Ports / Slots : USB / 15-pin D-sub / DVI-D / S-Video / Composite Video Connectors Voltage Required : 100 to 240 VAC, 50 Hz to 60 Hz Service / Support Details : 3-Year Warranty	**$582**
на склад		**E2009W**	Dell E2009W 20" FlatPanel Widescreen Monitor Optimal Resolution: 1680 x 1050 Contrast Ratio: 1000:1 (typical) Brightness: 300 cd/m2 (typical) Response Time: 5 ms (typical) Viewing Angle: 160° / 170° (typical) Color Support: 16.7 million colors Pixel Pitch: 0.258mm CONNECTIVITY Digital Visual Interface - Digital (DVI-D) with High Definition Content Protection (HDCP) Warranty: 3 Year Monitor Replacement Service	**$324**
поръчка		**2009WFP**	Dell UltraSharp 2009W Black Monitor Response Time (Typical): 5ms Panel Type: TN - Twisted Nemantic Maximum Resolution: 1680 x 1050 Contrast Ratio: 2000:1 Brightness 300 cd/m2 Viewing Angle: 170º (horizontal)/160º (vertical) Panel Surface Anti-glare Features : TrueColor with 102% color gamut, height-adjustable stand, 4 USB 2.0 Hi Speed ports, Security Port (cable lock sold separately), VESA-compliant mount (100 mm), cable management Warranty: 3 Year Monitor Replacement Service	**$334**
			Монитор 22" Dell	
NEW MODEL поръчка		**G2210**	Dell G2210 22" LED Widescreen Flat Panel Monitor Aspect Ratio : Widescreen Panel Type : TN - Twisted Nematic Max Resolution : 1680 X 1050 at 60 Hz Contrast Ratio : 1000:1 standard contrast ratio (typical) Up to 1,000,000:1 dynamic contrast ratio (typical) Brightness : 250 cd/m2 (typical) Response Time : 5 ms (typical) Viewing Angle : 160° (vertical), 170° (horizontal) Display Type : Thin film transistor (TFT) active matrix liquid crystal display (LCD) Standard Warranty: 3Y Monitor Replacement Service	**$393**

на склад		2209WA	Ultrasharp™ 2209WA 22-Inch Widescreen Flat Panel Monitor * Panel Size : 22" * Panel Type : e-IPS - In Panel Switching * Maximum Resolution : 1680 X 1050 at 60 Hz * Contrast Ratio : Dynamic Contrast Ratio 3000:1 (typical) * Brightness : 300 cd/m2 (typical) * Response Time : 6 ms (typical) * Viewing Angle : 178° / 178° (typical) * Color Support : 16.7 million colors * Pixel Pitch : 0.282 mm * Standard Warranty : This monitor ships with 3-year Monitor replacement service Versatile viewing: Sleek design swivels, pivots and adjusts for height Convenient connectivity: 4 USB 2.0 ports, VGA and DVI-D DVI-D and HDCP: With Digital Visual Interface-Digital and High-bandwidth Digital Content Protection you can play High Definition content from Blu-ray Disc drives from your personal computer	**$392**
поръчка		E2209W	E2209W 22" FlatPanel Widescreen Monitor # Panel Size : 22" # Panel Type : TN - Twisted Nematic # Maximum Resolution : 1680 x 1050 # Contrast Ratio : 1000:1 (typical) # Brightness : 300 cd/m2 (typical) # Response Time : 5 ms (typical) # Viewing Angle : 160° / 170° (typical) # Colour Support : 16.7 million colours # Pixel Pitch : 0.282 mm # Standard Warranty : This monitor ships with 3-year Monitor Replacement service	**$403**
Монитор 23" Dell				
поръчка		S2309WFP	Dell S2309W 23-Inch Full HD Widescreen Flat Panel Monitor Panel Size: 23" Optimal Resolution: Full HD 1920 x 1080 Resolution Contrast Ratio: 1000:1 (Typical) Brightness: 300 cd/m2 (typical) Response Time: 5 ms (typical) Viewing Angle: 160° / 170° (typical) Colour Support: 16.7 million colours Pixel Pitch: 0.266mm CONNECTIVITY Video Graphics Array (VGA) DVI-D with HDCP – Supports playback of protected high-definition content from Blu-ray DiscTM drives on PCs Dell-Designed Enhancements – The sleek black bezel complements most environments and home décor Standard Warranty: 3-year Premium Panel Exchange service	**$364**
Монитор 24" Dell				
поръчка		2408WFP	Panel Size: 24" / 24" Optimal Resolution: 1920 x 1200 Contrast Ratio: 1300:1 (typical) Brightness: 400cd/m2 (typical) Response Time: 6 ms (gray to gray) typical Viewing Angle: 178° / 178° (typical) Color Support: 16.7 million colors; 110% color gamut Pixel Pitch: 0.270 mm Height-adjustable stand, tilt, swivel, pivot and built-in cable management High Definition Multimedia Interface (HDMI) Digital Visual Interface - Digital (DVI-D) with High Definition Content Protection (HDCP) DisplayPort Video Graphics Array (VGA) Component Video Separate Video (S-Video) Composite Video	**$997**
Монитор 30" Dell				
поръчка		3008WFP	High-Definition 30" Panel – Offers ultra-high resolution and superb colour for content-creators, designers, video, gaming and entertainment. Panel Type: IPS - In Plane Switching Maximum Resolution : WQXGA 2560 x 1600 Brightness (Typical) : 370cd/m2 Dynamic Contrast Ratio (Typical): 3000:1 Dynamic Contrast Ratio – Produces darker blacks for sharper images, crisp text, better colour saturation and greater detail for HD entertainment. Response Time (Typical) : 8ms grey to grey Available Connectors: VGA (Analog), DVI-D (Digital) with HDCP, S-Video, Composite, Component, HDMI, DisplayPort TrueHD 1080 - Supports higher definition than HD Television and comes with an integrated HDMI connection. Dell TrueColor Technology – 117% 2 of NTSC colour gamut for rich, life-like imagery that has accurate colour representation better tones and hues, and can support up to Adobe 98 colour standard.	**$2,584**

Предложените модели и опциите към тях са валидни до изчерпване на наличностите
Индекс-България ООД си запазва правото да променя цените на предлаганите продукти по всяко време и без предизвестие!
Посочените цени са в щатски долари и включват 20% ДДС.
Плащанията към Индекс България ООД се извършват в лева по централния курс на БНБ, за деня на извършване на плащането.
Параметрите на моделите със срок на доставка до 20 работни дни, могат да бъдат променяни по желание на клиента.
При желание за друг модел или друга конфигурация от описаните тук модели, очакваме вашите запитвания на sales@indexbg.bg

Гаранционния срок за компютрите и сървърите е 3 години (1 година на батерията при преносимите компютри) освен ако не е указано друго.

поръчка	**С поръчка и доставка до 20 работни дни**
на склад	**Поддържа се в наличност на склад**

Part Number	Product Description	End User Price with VAT	Stock Info
Laser Priners			
BRHL2035	Лазерен принтер, USB 2.0, A4, HQ1200dpi (2400x600), 600dpi, 300dpi, 18стр./мин, първа страница 10сек., 8MB памет	186 лв	на склад
BRHL2140	Лазерен принтер, USB 2.0 22 ppm A4	209 лв	на склад
BRHL2150N	Лазерен принтер, USB 2.0 22 ppm A4 Network Laser Printer	239 лв	на склад
BRHL5350DN	Лазерен принтер, USB 2.0 + паралелен, A4, Дуплекс, NC 10/100 Base TX, HQ1200 dpi, 30стр./мин, първа страница 8,5сек., 32MB памет, PCL6, LED дисплей	546 лв	на склад
BRHL4040CN	Цветен лазерен принтер, USB 2.0 + паралелен, 10/100 Base TX, A4, 2400x600dpi, 20/20стр./мин черно-бял/цветен печат, първа страница цветно 16сек., 64MB памет	755 лв	на склад

Multifunctioncenter - Lasertechnology			
BRDCP7030	Лазерен принтер/копир/скенер, USB2.0 , 16MB, Принтер: 22стр./мин, HQ1200dpi, GDI;	299 лв	на склад
BRDCP7045N	Лазерен принтер/копир/скенер, USB2.0 , 32MB, Принтер: 22стр./мин, HQ1200dpi, GDI,Network	479 лв	на склад
BRMFC7320	Лазерен принтер/копир/скенер/факс, USB2.0, Принтер: 18стр./мин, HQ1200dpi, GDI;	399 лв	на склад
BRDCP8060	Лазерен принтер/копир/скенер, USB2.0 + паралелен, 32MB; Принтер: 28 стр./мин, 1200dpi, PCL6 + PS3;	739 лв	на склад
BRDCP8065DN	Лазерен принтер/копир/скенер, USB2.0, паралелен, Ethernet 10/100 BaseTX, 32MB; Принтер: 28 стр./мин, 1200dpi, PCL6 + PS3, Автоматичен дуплекс;	827 лв	на склад

BRDCP9040CN	**Цветен лазерен принтер/копир/скенер, USB2.0, NC 10/100 Mbit, 64MB; Принтер: 20стр./мин моно, 20стр./мин цветно, HQ1200dpi**	**1,079 лв**	**на склад**
BRDCP9045CDN	**Цветен лазерен принтер/копир/скенер, Дуплекс, USB2.0, NC 10/100 Mbit, 64MB; Принтер: 20стр./мин моно, 20стр./мин цветно, HQ1200dpi**	**1,427 лв**	**на склад**
BRMFC8460N	**Лазерен принтер/копир/скенер/факс, USB2.0, паралелен + Ethernet 10/100Base TX, 32MB; Принтер: 28стр./мин, 1200x1200dpi, PCL6**	**853 лв**	**на склад**
BRMFC8860DN	**Лазерен принтер/копир/скенер/факс, автоматичен двустранен печат, копиране и сканиране, USB2.0, паралелен + Ethernet 10/100Base TX, 32MB;**	**887 лв**	**на склад**
BRMFC9440CN	**Цветен лазерен принтер/копир/скенер, факс, Дуплекс, USB2.0, NC 10/100 Mbit, 64MB; Принтер: 20стр./мин моно, 20стр./мин цветно, HQ1200dpi**	**1,222 лв**	**на склад**
BRMFC9840CDW	**Цветен лазерен принтер/копир/скенер/факс, Дуплекс, USB2.0, NC 10/100 Mbit, Wireless, 128MB; Принтер: 20стр./мин моно/цветно, HQ1200dpi**	**1,679 лв**	**на склад**

Toner Catridge			
BRTN2005	**Тонер касета за лазерни принтери HL2035 (1500 стр. при 5 % запълване)**	**99.2 лв**	**на склад**
BRTN2110	**Тонер касета за лазерни принтери HL2140/HL2150N/HL2170W /DCP7030/(1500 стр. при 5 % запълване)**	**97.3 лв**	**на склад**
BRTN2120	**Тонер касета за лазерни принтери HL2140/HL2150N/HL2170W/DCP7030 (2600 стр. при 5 % запълване)**	**142.2 лв**	**на склад**
BRTN2000	**Тонер касета за лазерни принтери HL20XX, факс 2920, лазерни мултифукционални устройства DCP7010, MFC7420/7820N (2500стр. при 5% запълване)**	**142.4 лв**	**на склад**
BRTN3030	**Тонер касета за лазерни принтери HL51XX(N), лазерни мултифункционални устройства DCP8040/8045D, MFC8440/8840D (3500стр. при 5% запълване)**	**159.1 лв**	**на склад**
BRTN3060	**Тонер касета за лазерни принтери HL51XX(N), лазерни мултифункционални устройства DCP8040/8045D, MFC8440/8840D (6700стр. при 5% запълване)**	**205.4 лв**	**на склад**
BRTN3130	**Тонер касета за лазерни принтери HL52XX (3500стр. при 5% запълване)**	**167.8 лв**	**на склад**
BRTN3170	**Тонер касета за лазерни принтери HL52XX (7000стр. при 5% запълване)**	**221.2 лв**	**на склад**

BRTN3230	**Тонер касета за лазерни принтери HL53XX (3500стр. при 5% запълване)**	**156.0 лв**	**на склад**
BRTN3280	**Тонер касета за лазерни принтери HL53XX (8000стр. при 5% запълване)**	**253.8 лв**	**на склад**
BRTN4100	**Тонер касета за лазерни принтери HL6050/6050D/6050DN (7500стр. при 5% запълване)**	**216.2 лв**	**на склад**
BRTN6300	**Тонер касета за лазерни принтери HL1030/12XX/14XX/P2500, лазерно мултифункционални устройства MFC9660/9760/9860/9880, факс FAX8360P (3000стр. при 5% запълване)**	**142.4 лв**	**на склад**
BRTN6600	**Тонер касета за лазерни принтери HL1030/12XX/14XX/P2500, лазерно мултифункционални устройства MFC9660/9760/9860/9880, факс FAX8360P (6000стр. при 5% запълване)**	**199.2 лв**	**на склад**
BRTN7300	**Тонер касета за лазерни принтери HL1650/1670N/1850/1870N/50XX, лазерни мултифункционални устройства DCP8020, MFC8x20(N) (3300стр. при 5% запълване)**	**156.6 лв**	**на склад**
BRTN7600	**Тонер касета за лазерни принтери HL1650/1670N/1850/1870N/50XX, лазерни мултифункционални устройства DCP8020, MFC8x20(N) (6500стр. при 5% запълване)**	**199.2 лв**	**на склад**
BRTN8000	**Тонер за факс 8070P, лазерни мултифункционални устройства MFC9160/9180/9070/9030**	**73.5 лв**	**на склад**
BRTN130BK	**Тонер касета - черно за лазерен принтер за HL4040CN, HL4050CDN, HL4070VDW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW (1500стр. при 5% запълване)**	**116.7 лв**	**на склад**
BRTN135BK	**Тонер касета - черно за лазерен принтер за HL4040CN, HL4050CDN, HL4070VDW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW (5 000стр. при 5% запълване)**	**160.7 лв**	**на склад**
BRTN130C	**Тонер касета - синьо за лазерен принтер за HL4040CN, HL4050CDN, HL4070VDW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW (1500стр. при 5% запълване)**	**153.0 лв**	**на склад**
BRTN135C	**Тонер касета - синьо за лазерен принтер за HL4040CN, HL4050CDN, HL4070VDW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW (5 000стр. при 5% запълване)**	**286.0 лв**	**на склад**
BRTN130Y	**Тонер касета - жълто за лазерен принтер за HL4040CN, HL4050CDN, HL4070VDW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW (1500стр. при 5% запълване)**	**153.0 лв**	**на склад**
BRTN135Y	**Тонер касета - жълто за лазерен принтер за HL4040CN, HL4050CDN, HL4070VDW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW (5 000стр. при 5% запълване)**	**286.0 лв**	**на склад**
BRTN130M	**Тонер касета - червено за лазерен принтер за HL4040CN, HL4050CDN, HL4070VDW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW (1500стр. при 5% запълване)**	**153.0 лв**	**на склад**

BRTN135M	**Тонер касета - черно за лазерен принтер за HL4040CN, HL4050CDN, HL4070VDW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW (5 000стр. при 5% запълване)**	**286.0 лв**	**на склад**
BRLT100CL	**Допълнителна тава за 250 листа A4 за HL4050CDN, HL4070CDW, DCP9045DN, MFC9440CN, MFC9840CDW**	**475.2 лв**	**на склад**

Drum			
BRDR3000	**Барабан за лазерни принтери HL51XX(N), лазерни мултифункционални устройства DCP8040/8045D, MFC8440/8840D (20 000стр. при 5% запълване)**	**353.7 лв**	**на склад**
BRDR6000	**Барабан за лазерни принтери HL1030/12XX/14XX/P2500, лазерно мултифункционални устройства MFC9660/9760/9860/9880, факс FAX8360P (20000стр. при 5% запълване)**	**353.7 лв**	**на склад**
BRDR2005	**Барабан за лазерни принтери HL203512 000стр. при 5% запълване)**	**171.0 лв**	**на склад**
BRDR2100	**Барабан за лазерни принтери HL2140/HL2150N/HL2170W(12 000стр. при 5% запълване)**	**171.0 лв**	**на склад**
BRDR2000	**Барабан за лазерни принтери HL20XX, факс 2920, лазерни мултифукционални устройства DCP7010, MFC7420/7820N (12 000стр. при 5% запълване)**	**179.6 лв**	**на склад**
BRDR7000	**Барабан за лазерни принтери HL1650/1670N/1850/1870N/50XX, лазерни мултифункционални устройства DCP8020, MFC8x20(N) (20000стр. при 5% запълване)**	**353.7 лв**	**на склад**
BRDR3100	**Барабан за лазерни принтери HL52XX (25 000стр. при 5% запълване)**	**355.8 лв**	**на склад**
BRDR130CL	**Барабан за лазерни устройства HL4040CN, HL4050DN, HL4070CW, DCP9040CN, DCP9045CDN, MFC9440CN, MFC9840CDW за 17000 страници**	**334.6 лв**	**на склад**

Product description		End User	Stock Info
GUARD Standby Series			
IFGSB600A	GSB 600A, Guard 600VA, AVR, StandBy UPS, LED panel, Standby UPS	$40	на склад
IFGSB1200AP	GSB 1200A, Guard 1200VA, AVR, StandBy UPS, LED panel, Standby UPS	$84	на склад
IFGSB1500A	GSB 1500A, Guard 1500VA, AVR, StandBy UPS, LED panel, Standby UPS	$90	на склад

Guard Compact Series			
IFGSS600A	Guard Compact 600VA, AVR, ABM, Surge Protection, Line interactive UPS, LED panel,	$48	на склад
IFGSS800AP	Guard Compact 800VA, AVR, ABM, RS232, Remote Monitoring Software, Tel/Modem Internet surg	$64	на склад
IFGSS1000AP	Guard Compact 1000VA, AVR, ABM, RS232, Remote Monitoring Software, Tel/Modem Internet sur	$97	на склад
IFGSS1500AP	Guard Compact 1500VA, AVR, ABM, RS232, Remote Monitoring Software, Tel/Modem Internet sur	$104	на склад

	Product description	End User	Stock Info
	Rack cabinets		
IFDIA_22U68_M_B	22 U 19'' 600x827 Big Rack Cabinet RAL 9005 Black MOUNTED with PVC Leveling Feet	$323	на склад
IFDIA_26U68_M_B	26 U 19'' 600x827 Big Rack Cabinet RAL 9005 Black MOUNTED with PVC Leveling Feet	$352	на склад
IFDIA_36U88_M_B_OR	36 U 19'' 800x827 Huge Rack Cabinet RAL 9005 Black MOUNTED incl the vertical cable management panel set in front (left / right) front complete framed glass door, rear double Metal with PVC Leveling Feet	$530	на склад
IFDIA_42U68_M_B	42 U 19'' 600x827 Big Rack Cabinet RAL 9005 Black MOUNTED with PVC Leveling Feet	$433	на склад
IFDIA_42U88_M_B_OR	42 U 19'' 800x827 Huge Rack Cabinet RAL 9005 Black MOUNTED incl the vertical cable management panel set in front (left / right) front complete framed glass door, rear double Metal with PVC Leveling Feet	$623	на склад
IFDIA_47U68_M_B	47 U 19'' 600x827 Big Rack Cabinet RAL 9005 Black MOUNTED with PVC Leveling Feet	$490	на склад
IFDIAS_47U810_B	47 U 19'' 780x1000mm Special Rack server Cabinet RAL 9005 Black MOUNTED	$948	на склад

Part Number	All-in-One Inkjet Multifunctional Machines	Цена, EUR без ДДС
11N1006	**X5070 Inkjet Multifunctional Lexmark 4-in-1** Print/Copy/Scan/Fax - **Print -** Up to 24 ppm black and 17 ppm color printing, Professional print quality text and graphics; up to 4800x1200dpi on glossy photo paper **Copy -** Up to 16 cpm black and 12 cpm color,Time to first copy - color 17,3sec, black - 10,7 sec.; 1-99 copies at a time, 1-Touch, PC-free copying (color or black), **Scan -** Up to 30 sheet capacity, 48-bit color scanning; 16-bit grayscale scanning, Up to 600 x 1200 dpi optical resolution; **Fax** - black and color faxing with 33.6 Kpbs modem speed, **Print resolution** - black 1200x1200dpi, color - 4800x1200 dpi;ADF Paper input capacity - -100 pages, **Photo Printing -** Direct photo printing from PictBridge™ compatible digital cameras, Create brilliant photos with optional 6-color printing, Print borderless photos on popular sizes, **Port -** Connectivity (standard) : USB 2.0 Specification Hi-Speed Certified,PictBridge Certified Port, USB pass-through via PictBridge port, **Duty Cycle -** 3000 Pages per month, **Printing Media Sizes -** 4" x 6", A4, Letter, A6, Hagaki Card, L, 2L, A5, 5" x 7"	**33.35**
11N1506	**X5075 Inkjet Multifunctional Lexmark 4-in-1** Print/Copy/Scan/Fax - **Print -** Up to 24 ppm black and 17 ppm color printing, Professional print quality text and graphics; up to 4800x1200dpi on glossy photo paper **Copy -** Up to 16 cpm black and 12 cpm color,Time to first copy - color 17,3sec, black - 10,7 sec.; 1-99 copies at a time, 1-Touch, PC-free copying (color or black), **Scan -** Up to 30 sheet capacity, 48-bit color scanning; 16-bit grayscale scanning, Up to 600 x 1200 dpi optical resolution; **Fax** - black and color faxing with 33.6 Kpbs modem speed, **Print resolution** - black 1200x1200dpi, color - 4800x1200 dpi;ADF Paper input capacity - -100 pages, **Photo Printing -** Direct photo printing from PictBridge™ compatible digital cameras, Create brilliant photos with optional 6-color printing, Print borderless photos on popular sizes, **Port -** Connectivity (standard) : USB 2.0 Specification Hi-Speed Certified,PictBridge Certified Port, USB pass-through via PictBridge port, **Duty Cycle -** 3000 Pages per month, **Printing Media Sizes -** 4" x 6", A4, Letter, A6, Hagaki Card, L, 2L, A5, 5" x 7" PictBridge Certified USB Port	**39.10**

30B0019	**X9350 Inkjet Multifunctional Lexmark 4-in-1** **Print/Copy/Scan/Fax**, **Print** Speed **Draft Black** - Up to 32 ppm, **Print** Speed **Draft Color** - Up to 27 ppm, **Print** Speed **Normal, Black** - Up to 11ppm, **Print** Speed **Normal Color** - Up to 5ppm, **Copy** Speed **Draft, Black** - Up to 25ppm, **Copy** Speed **Draft, Black** - Up to 23 ppm, **Print Resolution**, Black Up to 1200 x 1200 dpi, Color Up to 4800 x 1200 dpi , ***Scanner Flatbed*** with 48-bit color dept, 16 -bitgrayscale, **Scan Resolution**(Enhanced) Up to 19200 dpi, (Optical) up to 1200x4800 dpi, Print (ASF) **Paper Input Capacity** - 150 pages max, **ADF Paper Input Capacity** : Up to 50 pages, **Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified, PictBridge Certified Port, USB pass-through via PictBridge port, 802.11g Wireless, **Optional Network Port** -Lexmark N4000e Fast Ethernet (Print and Scan), Lexmark N4050e 802.11g Wireless Print Server (Print and Scan), **Scan Area** - 216 x 355 mm max, **Modem** Speed 33.6 Kbps (Supports Celler ID, Automatic Redial,), **Size (mm - H x W x D)** - 26 **PictBridge Certified USB Port Yes**	**113.85**
16Y1606	**X6575 Inkjet Multifunctional Lexmark 4-In-1 Wireless -** built-in 802.11g wireless technology; Compatible with Wi-Fi certified IEEE 802.11g/b/n. **Print/Copy/Scan/Fax** - **Print** Speed **Draft Black** - Up to 28 ppm, **Print** Speed **Draft Color** - Up to 24 ppm, **Print Speed** Normal, Black - Up to 10 ppm, Print Speed Normal Color - Up to 4ppm, **Copy Speed** Draft, Black - Up to 24ppm, Copy Speed Draft, Black - Up to 23 ppm, **Print Resolution**, Black Up to 1200 x 1200 dpi, Color Up to 4800 x 1200 dpi , ***Scanner Flatbed*** with 48-bit color dept, 16 -bitgrayscale, **Scan Resolution**(Enhanced) Up to 19200 dpi, (Optical) up to 600x1200 dpi, Print (ASF) **Paper Input Capacity** - 100 pages max, **ADF Paper Input Capacity** : Up to 25 pages, **Standard Ports** - USB 2.0 Specification Hi-Speed Certified, PictBridge Certified Port, USB pass-through via PictBridge port, 802.11g/b Wireless, **Optional Network Port** - Lexmark N4000e Fast Ethernet (Print and Scan), Lexmark N4050e 802.11g Wireless Print Server (Print and Scan), **Scan Area** - 216 x 355 mm max, **Modem Speed** 33.6 Kbps (Supports Celler ID, Automatic Redial) , **S**	**67.85**

26S0003	**X2670 Inkjet Multifunctional Lexmark 3-in-1 Print/Copy/Scan, Print** Speed **Draft Black** - Up to 26 ppm, **Print** Speed **Draft Color** - Up to 19 ppm, **Print** Speed **Normal, Black** - Up to 13 ppm, **Print** Speed **Normal Color** - Up to 3ppm, **Copy** Speed **Draft, Black** - N/A cpm, **Copy** Speed **Draft, Color** - N/A cpm, **Print Resolution**, Black Up to 1200 x 1200 dpi, Color Up to 4800 x 1200 dpi , ***Scanner Flatbed with 48-bit color dept*** , 16 -bit grayscale, **Scan Resolution**(Enhanced) Up to 19200 dpi, (Optical) up to 600x1200 dpi, Print (ASF) **Paper Input Capacity** - 100 pages max, **Standard Ports** -USB Compatible with USB 2.0 Specification , **Scan Area** - 216 x 297 mm max, **Size (mm - H x W x D)** - 373 x 498 x 242 mm, **Duty Cycle** - 3000 pages per month, **PictBridge Certified USB Port - NO**	**40.25**
20R1501	**X5650 Inkjet Multifunctional Lexmark 4-in-1 Print/Copy/Scan/Fax**, **Print** Speed **Draft Black** - Up to 25 ppm, **Print** Speed **Draft Color** - Up to 18 ppm, **Print** Speed **Normal, Black** - Up to 13 ppm, **Print** Speed **Normal Color** - Up to 3ppm, **Copy** Speed **Draft, Black** - Up to 17cpm, **Copy** Speed **Draft, Color**- Up to 11 cpm, **Print Resolution,** Black Up to 1200 x 1200 dpi, Color Up to 4800 x 1200 dpi , **Scanner Flatbed** with 48-bit color dept (CIS), 16 -bit grayscale, **Scan Resolution**(Enhanced) Up to 19200 dpi, (Optical) up to 600x1200 dpi, Print (ASF) Paper Input Capacity - 100 pages max, Print (ASF) Paper Input Capacity - 100 pages max, **Standard Ports** -USB 2.0 Specification Hi-Speed Certified PictBridge Certified Port, Scan Area - 216 x 355.6mm max, **Modem speed** -33.9Kbps **ADF** - up to 25 pages A4, Legal, Letter, **Size** (mm - H x W x D) - 421 x 545 x 316mm, **Duty Cycle** - 3000 pages per month, **PictBridge Certified USB Port**	**54.05**
20R1701	**X6675 Inkjet Multifunctional Lexmark Wireless 4-in-1 Print/Copy/Scan/Fax**; **Print Speed** Normal Black - up to 13ppm, Print Speed Normal Color - up to 3 ppm, Print Speed Draft Black - up to 25 ppm, Print Speed Draft Color - up to 18 ppm, **Copy Speed** Black 12cpm, Color 2cpm, **Time to first copy** black 3cpm, color 1cpm. **Print resolution** black 1200x1200 dpi, color 4800x1200dpi, **Scan Resolution** optical 600x1200 dpi, Enhanced 19200x19200dpi, Print (ASF) Paper Input Capacity - 100 pages max, **ADF** - up to 25 pades A4, Legal, Letter, **Standard Ports** -USB 2.0 Specification Hi-Speed Certified PictBridge Certified Port,USB direct interface on Operator Panel, 802.11g/b Wireless, **Scan Area** - 216x355.6mm, **Modeem Speed** 33.6Kbps, **Size** - 421x545x316mm, **Duty Cycle** 3000 pages per month	**79.35**
90T3037	**S305 Inkjet Multifunctional Lexmark Wireless 3-in-1 Print/Copy/Scan**	**71.30**

90T4035	**S405 Inkjet Multifunctional Lexmark Wireless 4-in-1 Print/Copy/Scan/Fax**	**103.50**
90T5035	**S505 Inkjet Multifunctional Lexmark Wireless 3-in-1 Print/Copy/Scan**	**119.60**
60S0003	**S605 Inkjet Multifunctional Lexmark Wireless 3-in-1 Print/Copy/Scan**	**144.90**
90T6035	**Pro205 Inkjet Multifunctional Lexmark Wireless 4-in-1 Print/Copy/Scan/Fax**	**97.75**
90T7032	**Pro705 Inkjet Multifunctional Lexmark Wireless 4-in-1 Print/Copy/Scan/Fax**	**159.85**
90T8030	**Pro805 Inkjet Multifunctional Lexmark Wireless 3-in-1 Print/Copy/Scan**	**181.70**
90T9030	**Pro905 Inkjet Multifunctional Lexmark Wireless 4-in-1 Print/Copy/Scan/Fax**	**319.70**
Гаранция: 12 месеца, с изключение на професионалната серия		
Part Number	***Monochrome Laser Printers***	***Цена, EUR без ДДС***
34S0192	**Mono Printer Lexmark E260 - Print** Speed **(A4, Black) -** Up to 33ppm, **Print** Speed (A4,Letter, Black) ***Duplex -*** Up to 17spm, **Print** Speed (Letter, Black) - Up to 35ppm, **Time to First Page (Black) - 6,5 sec, Print Resolution -** 1200 Image Quality, 1200x1200 dpi, 2400 Image Quality, 600x600 dpi, **Processor -** 400 MHz, **Memory,** Standard - 32MB, and max 160MB, **Paper Input Capacity**, Standard - Up to 250 pages, max up to 800 pages, **Paper Output Capacity**, Standard and Maximum - Up to 150 pages, **Envelope Capacity - 1, *Supplies Yield -*** *3,500-page Toner Cartridge* , **Standard Ports -** Centronics IEEE 1284 Bidirectional Parallel, USB 2.0 Specification Hi-Speed Certified, **Optional Network Ports -** Lexmark N4000e Fast Ethernet (Print Only), Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), External MarkNet™ N7002e Fast Ethernet (parallel), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation Personal Printer Data Stream (PPDS), PostScript 3 Emulation, **Size (mm - H x W x D) -** 260 x 406 x 370 mm, **Recomme**	**113.85**

34S0112	**Mono Printer Lexmark E260d - Print** Speed **(A4, Black) -** Up to 33ppm, **Print** Speed (A4,Letter, Black) ***Duplex -*** Up to 17spm, **Print** Speed (Letter, Black) - Up to 35ppm, **Time to First Page (Black) - 6,5 sec, Print Resolution -** 1200 Image Quality, 1200x1200 dpi, 2400 Image Quality, 600x600 dpi, **Processor -** 400 MHz, **Memory,** Standard - 32MB, and max 160MB, **Paper Input Capacity**, Standard - Up to 250 pages, max up to 800 pages, **Paper Output Capacity**, Standard and Maximum - Up to 150 pages, **Envelope Capacity - 1, *Supplies Yield -*** *3,500-page Toner Cartridge* , **Standard Ports -** Centronics IEEE 1284 Bidirectional Parallel, USB 2.0 Specification Hi-Speed Certified, **Optional Network Ports -** Lexmark N4000e Fast Ethernet (Print Only), Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), External MarkNet™ N7002e Fast Ethernet (parallel), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation Personal Printer Data Stream (PPDS), PostScript 3 Emulation, **Size (mm - H x W x D) -** 260 x 406 x 370 mm, **Recomme**	**125.35**
34S0312	**Mono Printer Lexmark E260dn - Print** Speed **(A4, Black) -** Up to 35ppm, **Print** Speed (Letter, Black) **-** Up to 33spm, **Print Speed (A4, Letter, Black) Duplex**) - Up to 17ppm, **Time to First Page (Black) - 6,5 sec, Print Resolution -** 1200 Image Quality, 1200x1200 dpi, 2400 Image Quality, 600x600 dpi, **Processor -** 400 MHz, **Memory,** Standard - 32MB, and max 160MB, **Paper Input Capacity**, Standard - Up to 250 pages, max up to 800 pages, **Paper Output Capacity**, Standard and Maximum - Up to 150 pages, **Envelope Capacity - 1, *Supplies Yield -*** *3,500-page Toner Cartridge* , **Standard Ports -** Centronics IEEE 1284 Bidirectional Parallel, **Ethernet 10/100BaseTX (RJ-45),** USB 2.0 Specification Hi-Speed Certified , **Optional Network Ports -** Lexmark N4000e Fast Ethernet (Print Only), Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), External MarkNet™ N7002e Fast Ethernet (parallel), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation Personal Printer Data Stream (PPDS), PostScript 3 Emulation, **Size (mm - H x W x D**	**159.85**

34S0412	**Mono Printer Lexmark E360d** - Laser Printer, **Print** Speed **(Letter)** - Up to 40ppm, **Print** Speed **(A4) -** Up to 38ppm, **Print** Speed (Letter, A4) **Duplex -** Up to 18spm, **Time to First Page** - **6,5sec**, **Print Resolution** - 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi, **Processor** - 400MHz, **Memory** (Standard) 32MB, Max 288MB, **Paper Input Capacity**, Standard: Up to 300 pages, Paper Input Capacity, Maximum: Up to 850 pages, **Paper Output Capacity**, Standard and MAximum: Up to 150 pages, **Envelope Capacity** - 7, ***Supplies Yield*** *- 9 000-page High Yield Toner Cartridge, 3,500 -page Toner Cartridge* , **Standard Ports** - Centronics IEEE 1284, Bidirectional Parallel, USB 2.0 Specification Hi-Speed Certified, **Network Printing Methods** - LPR/LPD, Direct IP (Port 9100), HTTP, Enhanced IP (Port 9400), FTP, TFTP, IPP 1.1 (Internet Printing Protocol), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, **Size (mm - H x W x D)** - 260 x 406 x 370 mm, **Duty Cycle -** Up to 80000 pages per month, **R**	**189.75**
34S0512	**Mono Printer Lexmark E360dn** -Network Laser Printer, **Print** Speed **(Letter)** - Up to 40ppm, **Print** Speed **(A4) -** Up to 38ppm, **Print** Speed (Letter, A4) **Duplex -** Up to 18spm, **Time to First Page** - **6,5sec, Print Resolution** - 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi, **Processor** - 400MHz, **Memory** (Standard) 32MB, Max 288MB, **Paper Input Capacity**, Standard: Up to 300 pages, Paper Input Capacity, Maximum: Up to 850 pages, **Paper Output Capacity**, Standart and Maximum: Up to 150 pages, **Envelope Capacity** - 7, ***Supplies Yield*** *- 9 000-page High Yield Toner Cartridge, 3,500 -page Toner Cartridge,* **Standard Ports** - Centronics IEEE 1284, Bidirectional Parallel, Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified, **Network Printing Methods** - LPR/LPD, Direct IP (Port 9100), HTTP, Enhanced IP (Port 9400), FTP, TFTP, IPP 1.1 (Internet Printing Protocol), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, **Size (mm - H x W x D)** - 260 x 406 x 370 mm, **Duty Cyc**	**228.85**
34S0712	**E460dn - Mono A4 Laser printer**	**343.85**

34S0612	**Mono Printer Lexmark E460dw** - **Print** Speed (**Letter**, Black) - Up to 40 ppm, **Print** Speed (**A4**, Black) - Up to 38ppm, **Print Speed** (Letter,A4, Black) **Duplex -** Up to 18spm, **Time to First Page** - **6,5sec**, **Print Resolution** - 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi, **Processor** - 466MHz, **Memory** - standart 64MB, max 576MB, **Paper Input** Capacity, Standard - Up to 300 pages, max - up to 850 pages, **Paper Output** Capacity, Standard and Maximum - Up to 150 pages, **Envelope Capacity** 7, ***Supplies Yield*** *- 9,000-page High Yield Toner Cartridge, 3,500 - page Toner Cartridge, 15,000 -page Extra High Yield Toner Cartridge* , **Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified, 802.11b/g/n Wireless, Optional Network Ports - External MarkNet™ N7020e Gigabit Ethernet, **Network Printing Methods** - LPR/LPD, Direct IP (Port 9100), HTTP, Enhanced IP (Port 9400), FTP, TFTP, IPP 1.1 (Internet Printing Protocol), ThinPrint .print integration, **Size (mm - H x W x D)** - 260 x 406 x 370 mm, **Duty Cycle** Up to - 80000 pages per mor	**515.20**
34S0812	**E462dtn - Mono A4 Laser printer**	**524.40**
30G0102	**T650n - Mono A4 Laser printer**	**424.35**
30G0129	**Mono Printer Lexmark T650DN** - **Print** Speed (**Letter)** Up to 45ppm, **Print** Speed (**A4**) Up to 43ppm, Print Speed (Letter) **Duplex** Up to 36spm, Print Speed (A4) Duplex Up to 35spm, **Time to First Page** - **7,5sec**, **Print Resolution**, Black - 1200 Image Quality, 1200 x 1200 dpi ,2400 Image Quality, 600 x 600 dpi.Processor - 500MHz, **Memory**, Standard - 128MB, max 640MB, **Paper Input Capacity**, Standard: Up to - 350pages, max 4000 pages, **Paper Output Capacity**, Standard: Up to - 350 pages, max 2750 pages, **Envelope Capacity** 85, ***Supplies Yield*** - *25,000-page High Yield Print Cartridge, 7,000-page Print Cartridge* , Standard Ports - Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, Front USB port Compatible with USB 2.0 Specification (Type A), **Printer Languages** (Standard) - PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML , PDF 1.6, Direct Image, Microsoft XPS (XML Paper Specification). **Size (mm - H x W x D)** - 402.5 x 425 x 640 , **Duty Cycle** Up to - 200000 pages per month, **R**	**504.85**
30G0139	**T650dtn - Mono A4 Laser printer**	**851.00**
30G0212	**T652n -Mono A4 Laser printer**	**715.30**
30G0202	**T652dn - Mono A4 Laser printer**	**929.20**
30G0239	**T652dtn - Mono A4 Laser printer**	**1153.45**
30G0312	**T654n - Mono A4 Laser printer**	**877.45**
30G0302	**T654dn - Mono A4 Laser printer**	**1092.50**
30G0339	**T654dtn - Mono A4 Laser printer**	**1266.15**
30G0402	**T656dne - Mono A4 Laser printer**	**1529.50**

Гаранция: 12 месеца		
Part Number	***Colour Laser Printers***	***Цена, EUR без ДДС***
26A0030	**Printer Lexmark C540n** - Color Laser, **Print Speed** black Up to 20ppm, color 20ppm, **Time to First Page** (Black) 12 sec, color 13 sec, **Print Resolution**, Black 1200 x 1200 dpi, 4800 Color Quality (1200 x 600 dpi), Color 1200 x 1200 dpi, 4800 Color Quality (1200 x 600 dpi). **Processor** - 417MHz, **Memory** - standart 128MB, max 640MB, **Paper Input Capacity**, Standard Up to 250 pages, max 900 pages, **Paper Output Capacity**, Standard and Max up to 100 pages, **Envelope Capacity** 1, **Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified, **Cartridge(s) Shipping with Product** - 1,000-page Black Return Program Toner Cartridge, 1,000-page Color (CMY) Return Program Toner Cartridges, **Supplies Yield** - 1,000-page Color Toner Cartridges (CMY), 2,000-page Color High Yield Toner Cartridges (CMY), 2,500-page Black High Yield Toner Cartridge, 1,000-page Black Toner Cartridge, **Size (mm - H x W x D)** 292 x 424 x 400 mm, **Duty Cycle** Up to 35 000 per month, **Recommended Monthly Page - 500 - 1 500 pages**	**152.95**
26B0030	**Lexmark C543dn - Color A4 Laser Printer**	**247.25**
26C0080	**C544n - Color A4 Laser Printer**	**343.85**
26C0030	**C544dn - Color A4 Laser Printer**	**491.05**
26C0186	**Printer Lexmark C544 dw** - Color Laser, **Print Speed** (black, color A4) Up to 23ppm, **Time to First Page**: Black 11sec, color 12sec, **Print Resolution**: 1200 x 1200 dpi, 4800 Color Quality (1200 x 600 dpi), Print Resolution, Color - 1200 x 1200 dpi, 4800 Color Quality (1200 x 600 dpi). **Processor** - 500 MHz, **Memory**: standart 128MB, max 640MB, **Paper Input Capacity**: standart 250 pages, max 900 pages, **Paper Output Capacity -** standart and max 100 pages, **Envelope Capacity** - 1, **Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified,PictBridge Port, 802,11b/n/g wireless, Optional - Lexmark N4050e 802.11g Wireless Print Server (print Only), External MarkNet N7020e Gigabit Ethernet, **Printer Languages (Standard)** - PCL 5c Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6, Direct Image, **Size (mm - H x W x D)** - 292 x 424 x 400 mm, **Duty Cycle** Up to 55000 pages per month, **Recommended Monthly Page** - 800 - 3000 pages, **Cartridge(s) Shipping with Product** - 2,500 -page Black Return Program Toner	**437.00**

26C0136	**C546dtn - Color A4 Laser Printer**	**572.70**
	Printer Lexmark C734N - Color Laser, **Print Speed** (black) Up to 30ppm, Color - 30ppm, **Time to First Page**: Black <9,5sec, color <9,5sec, **Print Resolution black**: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi), **Print Resolution**, Color - 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi). **Processor** - 600 MHz, **Memory**: standart 256MB, max 1280MB, **Paper Input Capacity**: standart 650 pages, max 3 750 pages, **Paper Output Capacity** - standart and max 300 pages, **Envelope Capacity** - 85 (3 drawers maximum), **Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified, PictBridge Port, **Optional Port** - Optional - RS232C serial, Internal 1284 -B, Lexmark N4050e 802.11g Wireless Print Server (print Only), External MarkNet N7020e Gigabit Ethernet,Internal Marknet N8020 Gigabit Ethernet, Internal Marknet N8050 802.11g Wireless, internal Marknet N8030 Faber fast Ethernet, **Printer Languages** (Standard) - PCL 5c Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6, Direct Image, **Size** (mm - H x W x D	
25C0360		**437.00**
25C0361	**C734dn - Color A4 Laser Printer**	**694.60**
25C0363	**C734dw - Color A4 Laser Printer**	**783.15**
25C0362	**C734dtn - Color A4 Laser Printer**	**924.60**
25A0460	**C736n - Color A4 Laser Printer**	**795.80**
25A0461	**C736dn - Color A4 Laser Printer**	**913.10**
25A0462	**C736dtn - Color A4 Laser Printer**	**1112.05**
10Z0150	**C782n - Color A4 Laser Printer**	**1087.90**
10Z0151	**C782dn - Color A4 Laser Printer**	**1268.45**
10Z0152	**C782dtn - Color A4 Laser Printer**	**1507.65**
Гаранция: 12 месеца		
Part Number	***Monochrome Laser Multifunctional Machines***	***Цена, EUR без ДДС***

52G0016	**Laser Multifunctional Lexmark X203n 3-in-1/ Print/Copy/Scan/ - Print Speed** (A4, Black) Up to 23ppm, **Copy Speed** - up to 23cpm, **Time to First Page** (Black) -9 sec, **Time to first copy** - <11,5 sec, **Simplex Scan Speed** - 14/15 sides per minute **Print Resolution**, Black - 1200x1200 dpi, 2400 dpi QI, **Scan resolution** - 600x600 dpi, **Scan area** - max 217x297 **Processor** - 266 MHz, **Memory** - standart 64MB, max 64MB, **Paper Input Capacity**, Standard - Up to 250 page, max 250 pages, **Paper Output Capacity** standart and max - Up to 150 pages, **Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified, **Optional Network Ports** - Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation, PostScript 3 Emulation, **Recommended Monthly** - 250 - 1100 page, **Duty Cycle** - 10 000 pages per month, **Supplies Yield** - 2,500-page Toner Cartridge, 25,000-page Photoconductor Kit, Ships with 1,500 -page Return Program Toner Cartridge	**139.15**
52G0044	**Laser Multifunctional Lexmark X204n 4-in-1/ Print/Copy/Scan/Fax - Print Speed** (A4, Black) Up to 24ppm, **Copy Speed** - up to 23cpm, **Time to First Pages** (Black) -9 sec, **Time to first copy - <11,5 sec, Simplex Scan Speed** - 14/15 sides per minute **Print Resolution**, Black - 1200x1200 dpi, 2400 dpi QI, **Scan resolution** - 600x600 dpi, **Scanner type** - Flatbed scanner with ADF, **Scan area** - max 217x297 **Processor** - 266 MHz, **Memory** - standart 64MB, max 64MB, **Paper Input Capacity**, Standard - Up to 250 page, max 250 pages, **Paper Output Capacity** standart and max - Up to 150 pages, **Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified, **Optional Network Ports** - Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation, PostScript 3 Emulation, **Modem - 33,6Kbps, Recommended Monthly** - 250 - 1100 page, **Duty Cycle** - 10 000 pages per month, **Supplies Yield** - 2,500-page Toner Cartridge, 25,000-page Photoconductor Kit, Ships with 1,500 -page Return Program Toner C	**188.60**

13B0572	**Laser Multifunctional Lexmark X264dn 4-in-1/ Print/Copy/Scan/Fax** -**Print Speed** (A4, Black) Up to 30ppm,Print speed black duplex - up to 15 spm, **Time to First Page** (Black) - 7,5 sec, **Copy Speed** - up to 28cpm,Copy speed black duplex - up to 15 spm, **Time to First Copy** (Black) - 8,5 sec, **Print Resolution**, Black - 1200x1200 dpi, **Scanner Type** - Flatbed scanner with ADF, **Processor** - 266 MHz, **Memory** - standart 64MB, max 64MB, **Paper Input Capacity**, Standard - Up to 250 page, max 800 pages, **Paper Output Capacity** standart and max - Up to 150 pages,**Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), **Optional Network Ports** - Lexmark N4000e Fast Ethernet (Print Only), Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS),PostScript 3 Emulation, **Modem Speed** - 33.6 Kbps, **Recommended Monthly** - 250 - 4500 page, **Duty Cycle** - 50 000 pages per month, **Supplies Y**	**212.75**
13B0573	**Laser Multifunctional Lexmark X363dn 3-in-1/ Print/Copy/Scan**	**224.25**
13B0574	**Laser Multifunctional Lexmark X364dn 4-in-1/ Print/Copy/Scan/Fax** -**Print Speed** (A4, Black) Up to 35ppm, **Print speed black duplex** - up to 17 spm, **Time to First Page** (Black) - 7sec, **Copy Speed** - up to 35cpm, **Copy speed black duplex** - up to 17 spm, **Time to First Copy** (Black) - 8,5 sec, **Print Resolution**, Black - 1200x1200 dpi, **Scanner Type** - Flatbed scanner with ADF, **Processor** - 266 MHz, **Memory** - standart 128MB, max 128MB, **Paper Input Capacity**, Standard - Up to 300 page, max 800 pages, **Paper Output Capacity** standart and max - Up to 150 pages,**Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B),Front USB Port Compatible with USB 2.0 Specification (Type A), **Optional Network Ports** - Lexmark N4000e Fast Ethernet (Print Only), Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS),PostScript 3 Emulation,PDF 1,6, **Modem Speed** - 33.6 Kbps, **Recommended Mo**	**286.35**

13B0575	**Laser Multifunctional Lexmark X364dw 4-in-1/ Print/Copy/Scan/Fax** -**Wireless ready**, **Print Speed** (A4, Black) Up to 35ppm, **Print speed black duplex** - up to 17 spm, **Time to First Page** (Black) - 7sec, **Copy Speed** - up to 35cpm, **Copy speed black duplex** - up to 17 spm, **Time to First Copy** (Black) - 8,5 sec, **Print Resolution**, Black - 1200x1200 dpi, **Scanner Type** - Flatbed scanner with ADF, **Processor** - 266 MHz, **Memory** - standart 128MB, max 128MB, **Paper Input Capacity**, Standard - Up to 300 page, max 800 pages, **Paper Output Capacity** standart and max - Up to 150 pages,**Standard Ports** - Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B),Front USB Port Compatible with USB 2.0 Specification (Type A), **Optional Network Ports** - Lexmark N4000e Fast Ethernet (Print Only), Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), **Printer Languages** - PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS),PostScript 3 Emulation,PDF 1,6, **Modem Speed** - 33.6 Kbps, **Recommended Mo**	**343.85**
13C1129	**X463de - Mono A4 Laser MFP**	**783.15**
13C1154	**X464de - Mono A4 Laser MFP**	**596.85**
13C1238	**X466de - Mono A4 Laser MFP**	**997.05**
13C1156	**X466dwe - Mono A4 Laser MFP**	**1069.50**
13C1155	**X466dte - Mono A4 Laser MFP**	**1102.85**
16M1258	**X651de - Mono A4 Laser MFP**	**1191.40**
16M1720	**X652de - Mono A4 Laser MFP**	**1033.85**
16M1721	**X654de - Mono A4 Laser MFP**	**2024.00**
16M1722	**X656dte - Mono A4 Laser MFP**	**2341.40**
16M1724	**X658dme - Mono A4 Laser MFP**	**2910.65**
16M1726	**X658dtme - Mono A4 Laser MFP**	**3128.00**
16M1723	**X658dfe - Mono A4 Laser MFP**	**2910.65**
16M1725	**X658dtfe - Mono A4 Laser MFP**	**3128.00**